

HEARINGS, MEETINGS, LICENSES
11-28-11

VOTE TO CONTINUE THE WRPD FOR NEMASKET RIVER DRAINAGE
IMPROVEMENTS PROJECT TO _____ (determine specific date and time).

Jacqueline Shanley

From: Jeanne Spalding
Sent: Monday, November 21, 2011 3:06 PM
To: Jacqueline Shanley
Cc: 'foresight_enginc@yahoo.com'
Attachments: 20111121154656690.pdf

Please put on the next mtg: Title 5 Variance hearing for 33 Lakeview Terrace.

Jeanne Spalding, Health Officer
Middleborough Health Dept.
Middleborough Area MRC
20 Centre St.
Middleborough, MA 02346
508-946-2408




Foresight Engineering Inc.

88 West Grove Street
Suite 2
Middleborough, MA 02346
508-245-2148

November 10, 2011

Middleboro Board of Health
Middleboro, MA 02346



Re: Septic Repair @ 33 Lakeview Terrace

Dear Board Members;

On behalf of our client, Joseph & Linda Tripolone, I am submitting this letter regarding the septic system upgrade for 33 Lakeview Terrace. Due to the location of the project within the Woods Pond area and limited access for large vehicles a plastic 1500 gallon tight tank has been proposed to allow smaller machinery to install the tank. The existing area consists of narrow dirt roads with low overhanging wires, making it nearly impossible for a large crane truck required to install a 2000 gallon tight tank to get to the property. Per the request of the Board of Health, a deep observation hole will be performed at time of installation to confirm the groundwater table as the soils are already known to be well graded sands with high permeability. If determined, ballast for the tight tank may be required to prevent floating of the tank after pumping. If you should have any questions, please contact my office.

Sincerely,

A handwritten signature in black ink, appearing to be "DM", written over a horizontal line.

Darren Michaelis
Design Engineer
T5 Inspector # SI3595
Soil Evaluator # SE1618